

EPA Official Record

Notes ID: EE6E2140A242C9CD852578690054483A

From: Dave Dickerson/R1/USEPA/US

To: "Iorio, Maryellen NAE" <Maryellen.Iorio@usace.army.mil>

Copy To: anita.rigassio-smith@jacobs.com; steve.fox@jacobs.com; Cynthia Catri/R1/USEPA/US@EPA; David Peterson/R1/USEPA/US@EPA; ManChak Ng/R1/USEPA/US@EPA; Larry Brill/R1/USEPA/US@EPA; Jeanethe Falvey/R1/USEPA/US@EPA; ElaineT Stanley/R1/USEPA/US@EPA; Kimberly White/R1/USEPA/US@EPA; Kate Renahan/R1/USEPA/US@EPA

Delivered Date: 01/22/2010 09:08 AM EDT

Subject: Re: Cost estimate review of 15M T&D

thanks Ellen. Glad to hear they didn't have any comments. I take it there won't be any written comments from the Corps on the \$15m T&D estimate?

Just to be clear, we should also have them review ALL of the estimates, not just the \$15m T&D (including the 1 CAD cell hybrid approach that we just rec'd). Note that the \$80m estimates use a different discount factor (1.75 v. 2.7) pursuant to OMB guidance due to the shorter project timeframe at \$80m/yr. But no need to rush, a deadline of 2/19/10 (4 weeks) would probably work.

Dave

▼ "Iorio, Maryellen NAE" <Maryellen.Iorio@usace.army.mil>

"Iorio, Maryellen NAE" <Maryellen.Iorio@usace.army.mil> 01/22/2010 08:43 AM		
	To	Dave Dickerson/R1/USEPA/US@EPA
	cc	
	Subject	Cost estimate review of 15M T&D

Chris Lindsay, Chief of cost engineering reviewed the estimate as well as one of our economists. Chris did not have any objections or issues with the calculations or assumptions.

Ellen Iorio P.E., P.M.P
US Army Corps of Engineers
New England District
696 Virginia Road

Concord, MA 01742-2751
978-318-8433 (O)
978-318-8663 (f)
978-501-4157 (c)